

LEGEND

--- DISABLED ACCESS PATH OF TRAVEL


PATH OF TRAVEL AS INDICATED IS A BARRIER FREE ACCESS IS AT LEAST 48 INCHES WIDE WITHOUT ANY ABRUPT VERTICAL CHANGES EXCEEDING 1/2" AT 1:2 MAXIMUM SLOPE, EXCEPT THAT LEVEL CHANGES DO NOT EXCEED 1/4" VERTICAL. MAXIMUM CROSS-SLOPE 2% TYPICAL AND MAXIMUM SLOPE IN THE DIRECTION IS 5% UNLESS OTHERWISE NOTED. THE CONTRACTOR SHALL VERIFY THAT ALL BARRIERS ON THE INDICATED PATH OF TRAVEL HAVE BEEN REMOVED.

- KEYED NOTES**
- ① (N) DISABLED PARKING SPACES & SIGNAGE, SEE A1.3
 - ② (E) PORTABLE DISABLED ACCESS LIFT
 - ③ DISABLED ACCESS COMPLIANT DRINKING FOUNTAIN W/ 30"x48" CLEAR SPACE, SEE 5/A&B.2

JOB IN PROCESS
THIS IS NOT A RECORD DRAWING

SITE ACCESSIBILITY PLAN
SCALE: 1" = 20'-0"






JONES & MADHAVAN
ARCHITECTURE
ENGINEERING

100 EAST THOUSAND OAKS BOULEVARD, SUITE 211
THOUSAND OAKS, CALIFORNIA 91320
TEL 805.777.8449 + FAX 805.777.8489

CONSULTANT

PROFESSIONAL SEAL



APPROVALS

REVISIONS

**MANOR POOL
REHABILITATION PROJECT**
CIP No. 8796
1525 TULIP LANE, DAVIS, CALIFORNIA 95616

CITY OF DAVIS
23 RUSSELL BLVD., DAVIS, CALIFORNIA 95616

PHASE **BID SET**

SHEET TITLE **SITE ACCESSIBILITY PLAN**

DRAWN BY: CB
CHECKED BY: NM
JMAE PROJ.# CS.34
DATE 2-20-07

SHEET NO. 3 OF 68

T1.3

502-051